

## Contents

### Regular papers

- Conformational analysis of 3-deoxy-3-nitroheptoseptanosides by molecular mechanics (MM2) and theoretical  $^3J_{\text{HH}}$  calculation  
J. Molina Molina, D.P. Olea (Granada, Spain) and H.H. Baer (Ontario, Canada) . . . . . 1
- A reinvestigation towards the conformation of methyl  $\alpha$ -D-mannopyranosyl-(1  $\rightarrow$  6)- $\alpha$ -D-mannopyranoside by a combined ROE and molecular dynamics analysis  
B.A. Spronk, A. Rivera-Sagredo, J.P. Kamerling and J.F.G. Vliegthart (Utrecht, The Netherlands) . . . . . 11
- Structural elucidation of underivatized gangliosides by electrospray-ionization tandem mass spectrometry (ESIMS/MS)  
T. Ii, Y. Ohashi and Y. Nagai (Saitama, Japan) . . . . . 27
- Structural analysis of mono- and bis-sulfated glycosphingolipids by negative liquid secondary ion mass spectrometry with high- and low-energy collision-induced dissociation  
K. Tadano-Aritomi (Tokyo, Japan) H. Kubo (Kyoto, Japan) P. Ireland (Manchester, UK) M. Okuda, T. Kasama, S. Handa and I. Ishizuka (Tokyo, Japan). . . . . 41
- Structural studies of the capsular polysaccharide from *Klebsiella* type 7  
A. Kjellberg, G. Widmalm (Stockholm, Sweden) P.-E. Jansson (Huddinge, Sweden) and W. Nimmich (Rostock, Germany) . . . . . 53
- Isolation, purification and characterization of three lectins from ant eggs (*Oecophylla smaragdina* Fabr.)  
P. Hassan and N. Absar (Rajshahi, Bangladesh) . . . . . 63
- Notes*
- Preparative separation of oligosaccharides from  $\kappa$ -carrageenan, sodium hyaluronate, and dextran by Superdex<sup>™</sup> 30 prep. grade  
N. Caram-Lelham, L.-O. Sundelöf and T. Andersson (Uppsala, Sweden) . . . . . 71
- Analysis of *N*-acetyl-chitooligosaccharides by the latroscan TLC/FID system  
M. Esaiassen, K. Øverbø and R.L. Olsen (Tromsø, Norway) . . . . . 77
- Determination of substituent distribution in cellulose acetate by means of a  $^{13}\text{C}$  NMR study on its propanoated derivative  
Y. Tezuka and Y. Tsuchiya (Niigata, Japan) . . . . . 83
- Sequential structure by  $^1\text{H}$  NMR as a direct assay for pectinesterase activity  
A.K. Andersen, B. Larsen and H. Grasdalen (Trondheim, Norway) . . . . . 93

Synthesis of sugar ureas via phosphinimines I. Pintér, J. Kovács and G. Tóth (Budapest, Hungary) . . . . .	99
Inhibitory effect of diglucosylamines on two $\beta$ -glucosidases N. Kolarova, R. Trgüša, K. Linek and V. Farkaš (Bratislava, Slovakia) . . . . .	109
Erratum . . . . .	C1
Announcement . . . . .	C13
<i>Regular papers</i>	
A comparison of the conformation of sucrose octasulfate, free and bound to acidic fibroblast growth factor J. Shen and L.E. Lerner (Madison, WI, USA) . . . . .	115
A theoretical study of D-glucose, D-galactose, and parent molecules: solvent effect on conformational stabilities and rotational motions of exocyclic groups F. Zuccarello and G. Buemi (Catania, Italy) . . . . .	129
Diffusion in maltose-water mixtures at temperatures close to the glass transition R. Parker and S.G. Ring (Norwich, UK) . . . . .	147
Determination by NMR spectroscopy of the structure and conformational features of the enterobacterial common antigen isolated from <i>Escherichia coli</i> M. Bruix, J. Jiménez-Barbero (Madrid, Spain) and P. Cronet (Heidelberg, Germany) . . . . .	157
The detection of some dicarbonyl intermediates arising from the degradation of Amadori compounds (the Maillard reaction) J. Hirsch, V.V. Mossine and M.S. Feather (Columbia, MO, USA) . . . . .	171
Structural analysis of antiviral sulfated $\alpha$ -D-(1 $\rightarrow$ 3)-linked mannans A.A. Kolender, M.C. Matulewicz and A.S. Cerezo (Buenos Aires, Argentina) . . . . .	179
Structure of the O-specific polysaccharide of <i>Hafnia alvei</i> 1204 containing 3,6-dideoxy-3-formamido-D-glucose E. Katzenellenbogen, E. Romanowska (Wrocław, Poland), N.A. Kocharova, A.S. Shashkov, Y.A. Knirel and N.K. Kochetkov (Moscow, Russian Federation) . . . . .	187
Structure of the capsular polysaccharide from the <i>Klebsiella</i> K8 reference strain 1015 B. Erbing (Stockholm, Sweden), P.-E. Jansson (Huddinge, Sweden), G. Widmalm (Stockholm, Sweden) and W. Nimmich (Rostock, Germany) . . . . .	197
Crystalline cellulose I $\alpha$ and I $\beta$ studied by molecular dynamics simulation A.P. Heiner, J. Sugiyama and O. Teleman (Espoo, Finland) . . . . .	207
Purification of commercial gellan to monovalent cation salts results in acute modification of solution and gel-forming properties L.W. Doner and D.D. Douds (Philadelphia, PA, USA) . . . . .	225
Chitin deacetylation by enzymatic means: monitoring of deacetylation processes A. Martinou, D. Kafetzopoulos and V. Bouriotis (Heraklion, Greece) . . . . .	235
<i>Notes</i>	
Solubility and primary nucleation of cyclomaltoheptaose D.W. Jennings and R.W. Rousseau (Atlanta, GA, USA) . . . . .	243

# Contents

C23

A practical synthesis of methyl 4- <i>O</i> -methyl- $\alpha$ -D-glucopyranosiduronic acid K. Li and R.F. Helm (Blacksburg, VA, USA) . . . . .	249
Structural investigation of cell-wall polysaccharides from <i>Neosartorya</i> : relationships with their putative anamorphs of <i>Aspergillus</i> J.A. Leal, J. Jiménez-Barbero, B. Gómez-Miranda, E. Parra, A. Prieto and M. Bernabé (Madrid, Spain) . . . . .	255
Author index . . . . .	C15
Subject index . . . . .	C17
Contents . . . . .	C21